


CÁTALOGO DE MÁQUINAS TERMOFUSORAS PARA HDPE

TERMOFUSION Y RIEGO PERU SAC - RUC: 20604167796 - WWW.TERMOFUSION-RIEGO.COM



TERMOFUSIÓN Y RIEGO PERÚ S.A.C

2023-2024



— **MODELO
H-BLUE WELDER**



— **MODELO
GREEN ATHENAS**




DATA LOGGER

¡NUESTROS PRODUCTOS SON LA SOLUCIÓN DE UNA INSTALACIÓN SEGURA!



Introducción a la soldadura para HDPE




1. Fije abrazaderas adecuadas en la rejilla de la máquina.
2. Coloque tubos HDPE en las abrazaderas y apriete los pernos.
3. Muela el extremo de los tubos de HDPE con la cortadora.
4. Coloque la placa calefactora en la rejilla de la máquina y caliente los tubos durante el tiempo adecuado.
5. Retire la placa calefactora y conecte los tubos de HDPE.





HDL 160 MANUAL BUTT FUSION WELDING MACHINE




MODELO	HDL 160 MANUAL
WELDING RANGE	160mm
COOLING WAY	Air Cooling
CONTROL	Manual
FREQUENCY RANGE	Intermediate Frequency
ELECTRIC CURRENT	AC
TYPE	Hot Melting
PIPE SIZE(MM)	63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm
POWER/VOLTAGE OF HEATING PLATE	1KW / 220V
POWER/VOLTAGE OF PLANNING TOOL MOTOR	0.9KW / 220V

TERMOFUSION Y RIEGO PERU SAC - RUC: 20604167796



HDL 200 MANUAL BUTT FUSION WELDING MACHINE



MODELO	HDL 200 MANUAL
WELDING RANGE	200mm
COOLING WAY	Air Cooling
CONTROL	Manual
FREQUENCY RANGE	Intermediate Frequency
ELECTRIC CURRENT	AC
TYPE	Hot Melting
PIPE SIZE(MM)	63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm
POWER/VOLTAGE OF HEATING PLATE	1,6KW / 220V
POWER/VOLTAGE OF PLANNING TOOL MOTOR	0.9KW / 220V

TERMOFUSION Y RIEGO PERU SAC - RUC: 20604167796



HDL 160 MANUAL BUTT FUSION WELDING MACHINE



MODELO	HDL 160 MANUAL
WELDING RANGE	160mm
COOLING WAY	Air Cooling
CONTROL	Manual
FREQUENCY RANGE	Intermediate Frequency
ELECTRIC CURRENT	AC
TYPE	Hot Melting
PIPE SIZE(MM)	63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm
POWER/VOLTAGE OF HEATING PLATE	1KW / 220V
POWER/VOLTAGE OF PLANNING TOOL MOTOR	0.9KW / 220V

TERMOFUSION Y RIEGO PERU SAC - RUC: 20604167796



HDL 200 MANUAL BUTT FUSION WELDING MACHINE



MODELO	HDL 200 MANUAL
WELDING RANGE	200mm
COOLING WAY	Air Cooling
CONTROL	Manual
FREQUENCY RANGE	Intermediate Frequency
ELECTRIC CURRENT	AC
TYPE	Hot Melting
PIPE SIZE(MM)	63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm
POWER/VOLTAGE OF HEATING PLATE	1,6 KW / 220V
POWER/VOLTAGE OF PLANNING TOOL MOTOR	0.9KW / 220V

TERMOFUSION Y RIEGO PERU SAC - RUC: 20604167796



HDC 250 HYDRAULIC BUTT FUSION WELDING MACHINE



MODELO	HDC 250 HYDRAULIC
WELDING RANGE	250mm
COOLING WAY	Air Cooling
CONTROL	Semi-Automatic
FREQUENCY RANGE	Intermediate Frequency
ELECTRIC CURRENT	AC
TYPE	Hot Melting
PIPE SIZE(MM)	63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm, 225mm, 250mm
MOTOR POWER/VOLTAGE OF HYDRAULIC STATION	0.75KW / 220V
POWER/VOLTAGE OF HEATING PLATE	2KW / 220V
POWER/VOLTAGE OF PLANNING TOOL MOTOR	1.2KW / 220V

TERMOFUSION Y RIEGO PERU SAC - RUC: 20604167796



HDC 315 HYDRAULIC BUTT FUSION WELDING MACHINE




MODELO	HDC 315 HYDRAULIC
WELDING RANGE	315mm
COOLING WAY	Air Cooling
CONTROL	Semi-Automatic
FREQUENCY RANGE	Intermediate Frequency
ELECTRIC CURRENT	AC
TYPE	Hot Melting
PIPE SIZE(MM)	63mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm, 225mm, 250mm, 280mm, 315mm
MOTOR POWER/VOLTAGE OF HYDRAULIC STATION	0.75KW / 220V
POWER/VOLTAGE OF HEATING PLATE	3KW / 220V
POWER/VOLTAGE OF PLANNING TOOL MOTOR	1.2KW / 220V

TERMOFUSION Y RIEGO PERU SAC - RUC: 20604167796



HDC 450 HYDRAULIC BUTT FUSION WELDING MACHINE



MODELO	HDC 450 HYDRAULIC
WELDING RANGE	450mm
COOLING WAY	Air Cooling
CONTROL	Semi-Automatic
FREQUENCY RANGE	Intermediate Frequency
ELECTRIC CURRENT	AC
TYPE	Hot Melting
PIPE SIZE(MM)	180mm, 200mm, 225mm, 250mm, 280mm, 315mm, 355mm, 400mm, 450mm
MOTOR POWER/VOLTAGE OF HYDRAULIC STATION	1.5KW / 380V
POWER/VOLTAGE OF HEATING PLATE	5.2KW / 380V
POWER/VOLTAGE OF PLANNING TOOL MOTOR	1.5KW / 380V

TERMOFUSION Y RIEGO PERU SAC - RUC: 20604167796



HDC 630 HYDRAULIC BUTT FUSION WELDING MACHINE



MODELO	HDC 630 HYDRAULIC
WELDING RANGE	315mm
COOLING WAY	Air Cooling
CONTROL	Semi-Automatic
FREQUENCY RANGE	Intermediate Frequency
ELECTRIC CURRENT	AC
TYPE	Hot Melting
PIPE SIZE(MM)	315mm, 355mm, 400mm, 450mm, 500mm, 560mm, 630mm
MOTOR POWER/VOLTAGE OF HYDRAULIC STATION	1.5KW / 380V
POWER/VOLTAGE OF HEATING PLATE	9.2KW / 380V
POWER/VOLTAGE OF PLANNING TOOL MOTOR	1.5KW /380V

TERMOFUSION Y RIEGO PERU SAC - RUC: 20604167796